

# SAFETY DATA SHEET

## CHEMDRAW 3213 M

### Section 1. Identification

**GHS product identifier** : CHEMDRAW 3213 M  
**Other means of identification** : Not available.  
**Product type** : Liquid  
**Product code** : 6001800000  
**SDS #** : 3099

Relevant identified uses of the substance or mixture and uses advised against

**Product use: For professional use only.** : Industrial applications: Lubricants

**Supplier's details** : Lozier Oil Company  
1 Sunny St.  
Farmington, IL 61531  
Tel: 309-245-4846  
Fax: 309-245-4888

**Emergency phone number** : Chemtrec: 1-800-424-9300 (US & Canada)  
+1 703-527-3887 (International)

### Section 2. Hazard identification

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture** : SKIN SENSITIZATION – Category 1

**GHS Hazard Symbols** :



**Signal Word** : Warning

**Hazard Statements** : May cause an allergic skin reaction

Precautionary Statements

**Prevention** : Wear protective gloves. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace.

**Response** : IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If irritation or rash occurs: get medical attention.

**Storage** : Not applicable.

**Disposal** : Dispose of content and container in accordance with local, regional, national and international regulations.

Hazards not otherwise classified : None known.

### Section 3. Composition/information on ingredients

Substance/mixture : Mixture  
Other means of identification : Not available

Ingredient name	%	CAS number
Distillates (petroleum), hydrotreated heavy naphthenic	≥25 - ≤50	64742-52-5
Molybdenum, bis[O,O-bis(e-ethylhexyl)phosphorodithioato-κS, κS']dioxodi-u-thioxodi-, (Mo-Mo)	<2.0	72030-25-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. Fire-aid measures

#### Description of necessary measures

- Eye Contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

##### Potential acute health effects

- Eye contact** : No known significant effects or critical hazards  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : May cause an allergic skin reaction.  
**Ingestion** : No known significant effects or critical hazards.

##### Over-exposure signs/symptoms

- Eye contact** : No specific data  
**Inhalation** : No specific data.  
**Skin contact** : Adverse symptoms may include the following:

Irritation  
Redness  
**Ingestion** : No specific data

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it or wear gloves.

See toxicological information (Section11)

## Section 5. Fire-fighting measures

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire

**Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:

Carbon dioxide  
Carbon monoxide  
Sulfur oxides  
Phosphorous oxides  
Metal oxide/oxides

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protect equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

**Personal cautions, protective equipment and emergency procedures**

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breath vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on personal protective equipment.

**For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information for “non-emergency personnel”.

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up**

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows: contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite, or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 or emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupations hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, way from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

### Occupational exposure limits

Ingredient Name	Exposure limits
Distillates (petroleum), hydrotreated heavy naphthenic	<p><b>OSHA PEL (United States, 5/2018).</b> TWA: 5 mg/m<sup>3</sup> 8 hours.</p> <p><b>ACGIH TLV (United States, 3/2020).</b> TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction</p> <p><b>NIOSH REL (United States, 10/2016).</b> TWA: 5 mg/m<sup>3</sup> 10 hours. Form: Mist. STEL: 10 mg/m<sup>3</sup> 15 minutes. Form: Mist</p>
Molybdenum, bis[O,O-bis(e-ethylhexyl)phosphorodithioato-κS, κS']dioxodi-u-thioxodi-, (Mo-Mo)	<p><b>ACGIH TLV (United States, 3/2020).</b> TWA: 0.5 mg/m<sup>3</sup> (as Mo) 8 hours. Form: respirable fraction</p> <p><b>OSHA PEL 1989 (United States, 3/1989)</b> TWA: 5 mg/m<sup>3</sup> (as Mo) 8 hours. Form: Soluble</p> <p><b>OSHA PEL (United States, 5/2018).</b> TWA: 5 mg/m<sup>3</sup>, (as Mo) 8 hours.</p>

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure the comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measure, such as personal protective equipment:**

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking an using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

- Eye/face Protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indications a higher degree of protection: safety glasses with side shields.

**Skin Protection**

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

- Body protection** : Personal protective equipment for body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training and other important aspects of use.

**Section 9. Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance**

- Physical state** : Liquid [Clear.]
- Color** : Blue/Green [Dark]
- Odor** : Mild. Petroleum oil.
- pH** : Not available
- Melting point** : Not applicable
- Boiling point** : Not available.
- Flash point** : Closed cup: 165°C (329°F) [Pensky-Martens]
- Evaporation Rate** : Not available.
- Flammability (solid, gas)** : Flammable in the present of the following materials or conditions: open flames, sparks, discharge and heat.
- Upper flammability or explosive limits** : Not available
- Lower flammability or explosive limits** : Not available.

<b>Vapor pressure</b>	:	<b>Ingredient</b>	<b>Vapor Pressure @ 20°C</b>	<b>Vapor Pressure @ 20°C</b>
-----------------------	---	-------------------	------------------------------	------------------------------

	Name	mm Hg	kPa	Method	mm Hg	kPa	Method
	Distillates (petroleum), hydrotreated heavy naphthenic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), hydrotreated heavy naphthenic	<0.08	<0.011	ASTM D 5191			

<b>Relative Density</b>	:	Not available.
<b>Solubility</b>	:	Not available.
<b>Partition coefficient: n-octanol/water</b>	:	Not applicable.
<b>Auto-ignition temperature</b>	:	Not available.
<b>Decomposition temperature</b>	:	Not available
<b>Viscosity</b>	:	Kinematic (40°C (104°F)): 0.58 to 0.78 cm <sup>2</sup> (58 to 78 cSt)
<b>Flow time (ISO 2431)</b>	:	Not available.
<b>VOC</b>	:	38.7 g/L
<b>VOC Method</b>	:	ASTM E 1868

## Section 10. Stability and reactivity

<b>Reactivity</b>	:	No specific test data related to reactivity available for this product or its ingredients
<b>Chemical stability</b>	:	This product is stable.
<b>Possibility of hazardous reactions</b>	:	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	:	No specific data.
<b>Incompatible materials</b>	:	No specific data.
<b>Hazardous decomposition products</b>	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum) hydrotreated heavy naphthenic	LD50 Oral	Rat	>5000 mg/kg	-

**Conclusion/summary** : No known significant effects or critical hazards

#### Irritation/Corrosion

Chemical Name	Result	Species	Score	Exposure	Observation
Distillates (petroleum), hydrotreated heavy naphthenic	Skin – Sever irritant	Rabbit	-	500 mg	-
Molybdenum di(2-ethylhexyl) phosphorodithioate	LD50 Dermal	Rabbit	-	10 ml/kg	-

## Conclusion/summary

- Skin** : Molybdenum di(2-ethylhexyl)phosphorodithioate: Causes skin irritation. (EPISKIN Human Skin Model Test)
- Eyes** : May cause slight transient irritation.
- Respiratory** : Repeated or prolonged exposure to spray or mist may product respiratory tract irritation.

## Sensitization

Product/ingredient name	Route of exposure	Species	Result
Molybdenum di(2-ethylhexyl) phosphorodithioate	Skin	Mouse	Sensitization

## Conclusion/summary

- Skin** : No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.
- Respiratory** : Sensitization not suspected for humans.

## Mutagenicity

### Conclusion/Summary

There are no data available on the mixture itself. Mutagenicity not suspected for humans.

## Carcinogenicity

### Conclusion/Summary

There are no data available on the mixture itself. Carcinogenicity not suspected for humans.

## Reproductive Toxicity

### Conclusion/Summary

There are no data available on the mixture itself. Not considered to be dangerous to humans.

## Teratogenicity

### Conclusion/Summary

There are no data available on the mixture itself. Teratogenicity not suspected for humans.

## Specific target organ toxicity (single exposure)

Not available.

## Specific target organ toxicity (repeated exposure)

Not available.

## Aspiration hazard

Ingredient Name	Result
Distillates (petroleum), hydrotreated heavy naphthenic	ASPIRATION HAZARD – Category 1

**Information on the likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation

## Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : May cause an allergic skin reaction.
- Ingestion** : No known significant effects or critical hazards.

## Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : No specific data
- Inhalation** : No specific data
- Skin contact** : Adverse symptoms may include the following:  
Irritation  
redness
- Ingestion** : No specific data

## Delayed and immediate effects and also chronic effects from short and long term exposure

### Short term exposure

Potential immediate effects : Not available  
Potential delayed effects : Not available

### Long term exposure

Potential immediate effects : Not available.  
Potential delayed effects : Not available.

### Potential chronic health effects

**Conclusion/Summary** : No known significant effects or critical hazards.  
**General** : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Teratogenicity** : No known significant effects or critical hazards.

## Numerical measures of toxicity

### Acute toxicity estimates

Not available.

## **Section 12. Ecological information**

### Toxicity

Not available.

**Conclusion/Summary** : Toxic to aquatic life with long lasting effects

### Persistence and degradability

**Conclusion/Summary** : This product has not been tested for biodegradation. Expected to be rapidly degradable

<b>Product/ingredient name</b>	<b>Aquatic half-life</b>	<b>Photolysis</b>	<b>Biodegradability</b>
CHEMDRAW 3213 M	-	-	Not readily

### Bioaccumulative potential

Not available.

#### Mobility in soil

**Soil/water partition coefficient (Koc)** : Not available







**Other adverse effects** : No known significant effects or critical hazards

## **Section 13. Disposal considerations**

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



## Section 14. Transport Information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	UN3082	UN3082	UN3082	UN3082	UN3082	UN3082
Un proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Alkalnes, C14-16, chloro)	Environmentally hazardous substance, liquid, n.o.s. (Alkalnes, C14-16, chloro)	Environmentally hazardous substance, liquid, n.o.s. (Alkalnes, C14-16, chloro)	Environmentally hazardous substance, liquid, n.o.s. (Alkalnes, C14-16, chloro)	Environmentally hazardous substance, liquid, n.o.s. (Alkalnes, C14-16, chloro)	Environmentally hazardous substance, liquid, n.o.s. (Alkalnes, C14-16, chloro)
Transport hazard class(es)	3 	3 	3 	3 	3 	3 
Packing group	III	III	III	III	III	III
Environmental hazard	Yes.	Yes.	Yes	Yes	Yes.	Yes.

### Additional information

#### DOT Classification

- : Non-bulk packages of this product are not regulated as hazardous materials unless transported by inland waterway. This product is not regulated as a hazardous material when transported in sizes of ≤5 L or ≤5 kg, provided the packaging meet the general provision of 173.24 and 173.24a.

#### TDG Classification

- : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43 – 2.45 (Class 9), 2.7 (Marine pollutant mark). Non-bulk packages of this product are not regulated as dangerous goods when transported by road or rail.

#### Mexico Classification

- : The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.

#### ADR/RID

- : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8.

#### IMDG

- : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8.

#### IATA

- : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packaging meets the general provisions of 5.0.2.4.1, 5.0.2.6.1.1, and 5.0.2.8.

#### Special precautions for user

- : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage

#### Transport in bulk according to Annex II of MARPOL and the IBC Code

- : Not available.

## Section 15. Regulatory information

**U.S Federal regulations** : TSCA 5(a) final significant new use rules: Alkanes, C14-16, chloro  
TSCA 5€ substance consent order: Alkanes, C14-16, chloro  
TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
TSCA 12(b) one-time export: Alkanes, C14-16, chloro

**Clean Air Act Section 112** : Not listed

**(b) Hazardous Air Pollutants (HAPs)**

**Clean Air Act Section 602** : Not listed

**Class I Substances**

**Clean Air Act Section 602** : Not listed

**Class II Substances**

**DEA List 1 (Precursor** : Not listed

**Chemicals)**

**DEA List II Chemicals** : Not listed

**(Essential Chemicals)**

**SARA 302/304**

### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

**SARA 311/312**

**Classification** : SKIN SENZITIZATION – Category 1

### Composition/information on ingredients

Name	%	Classification
Distillates (petroleum), hydrotreated heavy naphthenic	≥25 - ≤50	ASPIRATION HAZARD – Category 1

**SARA313**

Component	Product name	CAS number	%
Form R – Reporting Requirements	No listed substance		
Supplier notification	No listed substance		

### State regulations

**Massachusetts** : The following components are listed: OIL MIST, MINERAL; OIL MIST, MINERAL

**New York** : None of the components are listed

**New Jersey** : None of the components are listed

**Pennsylvania** : None of the components are listed.

### California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

None of the components are listed.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

[Montreal Protocol \(Annexes A,B,C,E\)](#)

Not listed.

[Stockholm Convention on Persistent Organic Pollutants](#)

Not listed.

[Rotterdam Convention on Prior Informed Consent \(PIC\)](#)

Not listed.

[UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

[Inventory List](#)

- [Australia](#) : All components are listed or exempted
- [Canada](#) : All components are listed or exempted.
- [China](#) : All components are listed or exempted.
- [Europe](#) : All components are listed or exempted.
- [Japan](#) : All components are listed or exempted.
- [New Zealand](#) : All components are listed or exempted.
- [Philippines](#) : All components are listed or exempted.
- [Republic of Korea](#) : All components are listed or exempted.
- [Taiwan](#) : All components are listed or exempted
- [United States](#) : All components are listed or exempted.

**Section 16. Other information**


[Hazardous Material Information System \(U.S.A.\)](#)

Health	/	1
Flammability		1
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

[National Fire Protection Association \(U.S.A.\)](#)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards

of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
SKIN SENSITIZATION – Category 1	Expert Judgement

History

**Date of issue/Date of revision** : 5/6/2022

**Date of previous issue** : 5/6/2022

**Version** : 8

**Key to abbreviations**

- : ATE = Acute Toxicity Estimate
  - BCF = Bioconcentration Factor
  - GHS = Globally Harmonized System of Classification and Labelling of Chemicals
  - IATA = International Air Transport Association
  - IBC = Intermediate Bulk Container
  - IMDG = International Maritime Dangerous Goods
  - LogPow = logarithm of the octanol/water partition coefficient
  - MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
  - UN = United Nations Not available.
- References** : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.